





**Purification Capacity:** 10\* litres/ hour  
**Max. Duty Cycle:** 75 litres/ day max  
**Storage Tank Capacity:** 8 litres  
**Filter Cartridges:** Side Filter Set, Sediment or Anti Scalant, Activated Carbon or Iron Removal, RO Membrane, Mineral Cartridge, UV,UF(Optional)  
**RO Membrane:** 1812-75 GPD  
**UV Lamp Power:** 11 Watt (optional)  
**Min. Inlet Water Pressure:** 0.3 kg/cm2  
**Input Voltage:** 160-300V AC (50Hz)  
**Operating Voltage:** 24V DC  
**Dimensions:** 375 W x 205 H x 520 D (mm)

## Purosis

**Purification Capacity:** 10 litres/ hour  
**Max. Duty Cycle:** 75 litres/ day max  
**Storage Tank Capacity:** 8 litres  
**Filter Cartridges:** Side Filter Set, Sediment or Anti Scalant, Activated Carbon or Iron Removal, RO Membrane, Mineral Cartridge, UV , UF (Optional)  
**RO Membrane:** 1812-75 GPD  
**UV Lamp Power:** 11 Watt (optional)  
**Min. Inlet Water Pressure:** 0.3 kg/cm2  
**Input Voltage:** 160-300V AC (50Hz)  
**Operating Voltage:** 24V DC  
**Dimensions:** 305 W x 240 H x 415 D (mm)

## Nine



**Purification Capacity:** 10\* litres/ hour  
**Max. Duty Cycle:** 75 litres/ day max  
**Storage Tank Capacity:** 8 litres  
**Filter Cartridges:** Side Filter Set, Sediment or Anti Scalant, Activated Carbon or Iron Removal, RO Membrane, Mineral Cartridge, UV, UF (Optional)  
**RO Membrane:** 1812-75 GPD  
**UV Lamp Power:** 11 Watt (optional)  
**Min. Inlet Water Pressure:** 0.3 kg/cm2  
**Input Voltage:** 160-300V AC (50Hz)  
**Operating Voltage:** 24V DC  
**Dimensions:** 300 W x 295 H x 415 D (mm)

## Jade



**Purification Capacity:** 10\* litres/ hour  
**Max. Duty Cycle:** 75 litres/ day max  
**Storage Tank Capacity:** 7 litres (optional)  
**Filter Cartridges:** Sediment, Activated Carbon, Carbon Block, RO Membrane, Mineral Cartridge, UV, UF (Optional)  
**RO Membrane:** 75 GPD x 1 No  
**UV Lamp Power:** 11 Watt (optional)  
**Min. Inlet Water Pressure:** 0.3 kg/cm<sup>2</sup>  
**Input Voltage:** 160-300V AC (50Hz)  
**Operating Voltage:** 24V DC  
**Dimensions:** 220 x 406 x 457(mm)

## UTC

---



**Purification Capacity:** 25\* litres/ hour  
**Max. Duty Cycle:** 125 litres/ day max  
**Storage Tank Capacity:** 7 litres (optional)  
**Filter Cartridges:** Sediment, Activated Carbon, Carbon Block, RO Membrane, Mineral Cartridge, UV, UF (Optional)  
**RO Membrane:** 100 GPD x 2 No or 300 GPD x 1  
**UV Lamp Power:** 11 Watt (optional)  
**Min. Inlet Water Pressure:** 0.3 kg/cm<sup>2</sup>  
**Input Voltage:** 160-300V AC (50Hz)  
**Operating Voltage:** 24V DC  
**Dimensions:** 380 x 260 x 485(mm)

## 25 LPH

---

**Purification Capacity:** 60\* litres/ hour  
**Max. Duty Cycle:** 300 litres/ day max  
**UV Chamber:** GI-SS  
**Storage Tank Capacity:** On line  
**Filter Cartridges:** Sediment, Activated Carbon, UV Lamp, Mineral Cartridge  
**UV Lamp Power:** 11 Watt  
**Min. Inlet Water Pressure:** 0.3 kg/cm<sup>2</sup>  
**Input Voltage:** 220V AC  
**Fuse Rating:** 500 mA  
**Dimensions:** 413 x 178 x 511(mm)

## Ultimate UV

---







**Purification Capacity:** 60\* litres/ hour  
**Max. Duty Cycle:** 250 litres/ day max  
**Storage Tank Capacity:** 8 litres  
**Filter Cartridges:** Side Filter Set, Optional Sediment, Activated Carbon, Alkaline Cartridge, UV, UF (Optional)  
**UV Lamp Power:** 11 Watt (optional)  
**Min. Inlet Water Pressure:** 0.3 kg/cm2  
**Input Voltage:** 160-300V AC (50Hz)  
**Operating Voltage:** 24V DC  
**Dimensions:** 318 W x 420 H x 280 D (mm)

## Mars UV

**Purification Capacity:** 60 litres/ hour  
**Max. Duty Cycle:** 250 litres/ day max  
**Type:** Online  
**Filter Cartridges:** Sediment, Activated Carbon, UV  
**UV Lamp Power:** 11 Watt (optional)  
**Min. Inlet Water Pressure:** 0.3 kg/cm2  
**Input Voltage:** 160-300V AC (50Hz)  
**Operating Voltage:** 24V DC  
**Dimensions:**  
 3 Stage: 235 W x 410 H x 165 D (mm)  
 4 Stage: 360 W x 410 H x 165 D (mm)


## Online UV



## Avion Make to Order Water SS Cooler

- This cooler with inbuilt Filtration +UV / RO+UV.
- Separate Cool water tank and plain water tank.
- Customise look as per customer requirement and size.
- SS 304 metal body with fast cooling capacity.
- No Water splash on ground and human body.
- SS / ABS Plastic tap use in cooler.



 Gala No.36, Shanta Industrial Estate,  
I. B. Patel Road, Goregaon (East),  
Mumbai - 400 063

 086551 25500 / 6600

Scan the QR code or visit [www.avionrosystems.com](http://www.avionrosystems.com)

Dealer and Distributor Stamp

